PRODUZIDO NO POLO INDUSTRIAL DE MANAUS
CONHEÇA A AMAZÔNIA

GROUP LINK ONE

Transcend IoT

GL Utilities | Energy L3

USER GUIDE • EN

Table of contents

About 03

Specifications 04

Connecting the GL Utilities Energy L3 device 05

Initiating the device through the GL Activation App 07

About

GL Utilities | Energy L3

The **GL Utilities Energy L3** is a bluetooth low energy (BLE) device that enables the utilization of Group Link´s patented technology. It utilizes a transmission frequency of 2.4GHz, compatible with the vast majority of smartphones in the market.

- Installation of the device in the field in just 30 seconds
- It has LED light indicating its operational status

MAXIMUM REACH
500 meters



Specifications

Product	GL Utilities Energy L3
Voltage	**100Vac to 240Vac**
Bluetooth Technology	**BLE 5.1**
Bluetooth Operational Frequency	**2.4GHz**
Bluetooth Transmission Power	**+14dBm**
Baud Rate Serial Communication	**300 bps / 1200 bps / 2400 bps (automatic detection)**

Features

- Bluetooth device Low battery consumption (Bluetooth Low Energy)
- Group Link Technology compatible
- Transmitting distance of up to 550 yards in open fields

Document version


Version 1.10 • April 02, 2024

Disclaimer: this equipment is not entitled to protection against harmful interference and may not cause interference in duly authorized systems. **For more information, please visit www.gov.br/anatel/pt-br**

Transcend IoT

Connecting your

GL Utilities | Energy L3



Assemble the connections between the **GLUtilities Energy L3** and the **Lumen 3** meter according to the instructions below.



Instructions

1. Remove the fixing screw and take off the protective cover from the Lumen 3 meter.


2. Connect the GLUtilities Energy L3 to the Lumen 3 meter and tighten the fixing screw.


3. Attach the security seal between the Lumen 3 meter and the GLUtilities Energy L3.

4. Após 20 segundos, se o LED estiver vermelho, significa que a comunicação serial não foi estabelecida. Nesse caso, verifique as conexões, mas se o LED ficar verde, significa que a comunicação serial foi estabelecida com sucesso.

Transcend IoT

Initiating your device through our GL Activation App





Click the button below to access our device activation user guide

GL Activation User Guide

Access either Google Play or App Store on your smartphone and search for **GL Activation**, or click the buttons below:

GET IT ON Google Play

Download on the App Store

Rua Gomes de Carvalho, 1510
12 floor
Vila Olímpia
São Paulo • Brasil

+55 11 5505.4750
suporte@grouplinkone.com
www.grouplinkone.com